

72608 Correct Drawings FFW  
7-21-04  
Page 1 of 2



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NUMBER	FILING OR 371 (c) DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/791,447	03/02/2004	Janzen Lo	3186.00004

Kenneth I. Kohn  
Kohn & Associates, PLLC  
Suite 410  
30500 Northwestern Hwy.  
Farmington Hills, MI 48334



CONFIRMATION NO. 3444

FORMALITIES LETTER



\*OC000000012737827\*

Date Mailed: 05/21/2004

NOTICE TO FILE CORRECTED APPLICATION PAPERS

*Filing Date Granted*

An application number and filing date have been accorded to this application. The application is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:

- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
  - The drawings must be reasonably free from erasures and must be free from alterations, overwriting, interlineations, folds, and copy marks. See Figure(s) 15-17, 19, 19, 20.
  - The drawings submitted to the Office are not electronically reproducible. Drawing sheets must be submitted on paper, which is flexible, strong, white, smooth, non-shiny, and durable (see 37 CFR 1.84(e)). See Figure(s) 6, 13, 14, 18, 19, 20 (too dark).

Replies should be mailed to: Mail Stop Missing Parts  
Commissioner for Patents  
P.O. Box 1450  
Alexandria VA 22313-1450

*A copy of this notice MUST be returned with the reply.*

T. TU  
Customer Service Center



**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re application of: Janzen Lo, et al.

Serial No: 10/791,447

Filed: 03/02/2004

For: SURGICAL INSTRUMENT FOR IMPLANTS

Attorney Docket No: 3186.00004

**RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450  
Mail Stop Missing Parts

Dear Sir:

Enclosed herewith are the following:

1. Copy of Notice to File Corrected Application Papers; and
2. Substitute drawings in compliance with 37 CFR 1.84(g).

Please charge our Deposit Account No. 11-1449 for any additional fees or credit our account for any overpayment.

Respectfully submitted,

KOHN & ASSOCIATES, PLLC

Kenneth I. Kohn  
Registration No. 30,955  
30500 Northwestern Highway  
Suite 410  
Farmington Hills, Michigan 48334  
(248) 539-5050

Dated: July 23, 2004

**CERTIFICATE OF MAILING**

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail and addressed to: the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450; MAIL STOP MISSING PARTS on July 23, 2004.

  
Connie Herty